

HEAT PRESS GUIDE

Your guide
to our favorite
heat presses!



SMALL FORMAT SWING-AWAY HEAT PRESSES

STAHL'S
Hotronix



JPPLUS
TOP PICK!

Fusion IQ® 16" x 20"

BEST SELLER
MOST VERSATILE
PROGRAMMABLE

- Touch screen settings
- Top choice for garments
- Industry-exclusive Threadability™ with a pull-out platen
- Live digital spec readouts
- Optional quick-change lower platens

Geo Knight
& CO, INC



JPPLUS
TOP PICK!

DK20S 16" x 20"

BEST SELLER
DURABLE & RELIABLE
EVEN PRESSURE & HEATING

- Fully digital temperature control
- Automatic digital timer
- Heavy-duty steel-welded framework
- 70 programmable presets
- Front or rear loading design
- Easy-to-use system

Geo Knight
& CO, INC



JPPLUS
TOP PICK!

DK14S 12" x 14"

BEST SELLER
COMPACT & PORTABLE
EVEN PRESSURE & HEATING

- Perfect for beginners
- Automatic digital timer
- Heavy-duty steel-welded framework
- 70 programmable presets
- Portable for events
- Easy-to-use system

Geo Knight
& CO, INC



DC16 14" x 16"

ENTRY LEVEL
DURABLE & RELIABLE
EVEN PRESSURE & HEATING

- Fully digital
- Interchangeable heat platens
- Heavy-duty steel-welded framework
- Easy-to-use system
- Programmable presets

HIX
GRAPHICS



SwingMan 15 15" x 15"

PORTABLE FOR EVENTS
ENTRY LEVEL
EVEN PRESSURE & HEATING

- Full-range temperature control removes guesswork
- Easy-to-use with short learning curve
- Extremely durable with consistent heat
- Press thicker items up to 1.75" thick

STAHL'S
Hotronix



Air Fusion IQ® 16" x 20"

EVEN PRESSURE & HEATING
AUTOMATIC PRESS
AUTO-ADJUST PRESSURE

- Adjusts pressure to thickness of substrate automatically taking out guesswork
- Interchangeable platens
- Reduces operator fatigue
- Programmable presets for speed
- Requires an air compressor

Press Model	Hotronix Fusion IQ	DK20S	DK14S
Item #	XFFUSION	SUBDK20S	DK14S
Brand	Hotronix®	Geo Knight	Geo Knight
Platen Size	16" x 20"	16" x 20"	12" x 14"
Press Type	Swing-Away Draw	Swing-Away	Swing-Away
Temperature Range	32° - 430° F	32° - 600° F	32° - 600° F
Dimensions (W x D x H)	36" x 25" x 24"	18" x 40" x 16"	24" x 18" x 18"
Max Material Thickness	5/8"	2"	2"
Electrical	120V / 15A / 1800W and 240V / 15A / 3500W	1800W / 15A / 120V	1200W / 10A / 110V
Weight	137 lb	210 lb	76 lb
Additional Information	Cast-in tubular heating, Powder coated finish, Interchangeable platens	Automatic Timer, Digital Pressure Bar Graph, Interchangeable Tables, SuperCoil-Microwinding Technology,	Automatic timer, SuperCoil-Microwinding heater technology, Records number of pressing cycles
Platen Warranty	Lifetime	Lifetime	Lifetime
Press Warranty	5 yr on frame / 2 yr control board	1 Year	5 yr on frame / 3 yr control board
Programmable Presets	Yes	Yes	No
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$2,450	\$1,776	\$668

Press Model	DC16	SwingMan 15	Air Fusion Table Top
Item #	SUBDC16	HSM115	XRF-TT
Brand	Geo Knight	Hix	Hotronix®
Platen Size	14" x 16"	15" x 15"	16" x 20"
Press Type	Swing-Away	Swing Away	Swing Away
Temperature Range	32° - 600° F	0° - 400° F	32° - 430° F
Dimensions (W x D x H)	22" x 22" x 22"	19" x 28" x 17"	32" x 40" x 57"
Max Material Thickness	2"	1.75"	3/4"
Electrical	1500W / 12A / 110V	120V / 12.5A / 1500W and 220V / 7.5A / 1560W	110V / 20A / 1800W and 220V / 10A / 3500W
Weight	130 lb	57 lb	137 lb
Additional Information	Digital Countdown Timer with Alarm, Adjustable Temperature, Solid steel frame, Silicone pad pressing surface	Heat indicator light and separate handheld digital timer. Perfect for start up businesses or to take to events.	Requires an air compressor. Not included in purchase.
Platen Warranty	Lifetime	1 Year	Lifetime
Press Warranty	1 Year	3 mo on parts & labor	5 yr on framework / 2 yr on circuit board / 1 yr on parts & labor
Programmable Presets	Yes	N/A	Yes
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$1,464	\$796	\$4,250

SMALL FORMAT SWING-AWAY HEAT PRESSES



SwingMan 20 16" x 20"

**HEAVY PRESSURE
DURABLE & RELIABLE
REDUCE USER FATIGUE**

Touch screen settings
Apply over 12000 lbs of pressure
Easy-to-use with limited user force
Even heating and pressure
Great for personalizing garments



SwingMan 20 Twin 16" x 20"

**BEST SELLER
TWO SEPARATE PLATENS
MAXIMUM PRODUCTION**

Fully digital temperature control
Multi-task easily with two platens
Great for large runs of garments
Heat element swivels between platens
Programmable presets for even more speed



Insta 256 16" x 20"

**ENTRY LEVEL
STANDARD PLATEN
EASY TO OPERATE**


Swings almost a full 180°
Evenly distributes pressure
Changeable lower platen
Easy-to-use digital controller

Everything you need for HEAT PRESSES all in one place!

Visit JPPlus.com for product information, technical help or to easily place your order for toner, supplies, papers and so much more!

- THOUSANDS of products
- FREE shipping on orders \$149+
- Educational webinars & videos
- FAST shipping
- Product tips & templates
- FREE art and design files
- FREE tech support
- Over 50 years of experience
- Virtual Trade Show Experience
- Giveaways & discounts
- Fun & educational blogs
- Create an account for fast ordering

Press Model	SwingMan 20	SwingMan 20 Twin	Insta 256
Item #	HSM20S	HSM20T	99INSTA256
Brand	Hix	Hix	Insta
Platen Size	16" x 20"	16" x 20" (Two Platens)	16" x 20"
Press Type	Swing-Away	Swing-Away	Swing-Away Manual
Temperature Range	0° - 450° F	0° - 450° F	N/A
Dimensions (W x D x H)	34" x 22" x 20"	43" x 49" x 35"	32" x 40" x 22"
Max Material Thickness	1.75"	1.75"	1.375"
Electrical	120V / 14.5A / 1750W and 220V / 10A / 2000W	120V / 14.5A / 1750W and 220V / 10A / 2000W	120V 14.6AMP 1750W and 230V 9.6AMP 2200W
Weight	97 lb	196 lb	121 lb
Additional Information	High-quality, durable framework made to last press after press.	Automatic Timer, Digital Pressure Interchangeable Tables, Two Platens in One Machine.	Interchangeable platens, Stainless Steel ergonomic handle, digital controller, Cast-in tubular heating element, Main power switch
Platen Warranty	1 Year	1 Year	Lifetime
Press Warranty	3 mo control board	3 mo on parts	1 Year
Programmable Presets	N/A	Yes	No
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$1,995	\$3,772	\$2,114.70



SMALL FORMAT CLAMSHELL HEAT PRESSES

STAHL'S
Hotronix



JPPLUS
TOP PICK!



Auto Open 16" x 20"

**COMPACT DESIGN
DURABLE & RELIABLE
QUICK CHANGE PLATEN**

Takes up less space than swing-away
Interchangeable heat platens
Wide opening for easy placement
Digital display of time, temp & pressure
Easy-to-use system

STAHL'S
Hotronix



JPPLUS
TOP PICK!



Maxx Digital Clam 16" x 20"

**BEST SELLER
DURABLE & RELIABLE
EVEN PRESSURE & HEATING**

Fully digital temperature control
Automatic digital timer
Heavy-duty steel-welded framework
70 programmable presets
Front or rear loading design
Easy-to-use system



JPPLUS
TOP PICK!



Craft Press 9" x 12"

**BEST SELLER
COMPACT & PORTABLE
EVEN PRESSURE & HEATING**

Perfect for beginners
Automatic digital timer
Heavy-duty steel-welded framework
70 programmable presets
Portable for events
Easy-to-use system

STAHL'S
Hotronix



MAXX15 15" x 15"

**ENTRY LEVEL
DURABLE & RELIABLE
EVEN PRESSURE & HEATING**

Fully digital
Interchangeable heat platens
Heavy-duty steel-welded framework
Easy-to-use system
Great for start-ups
Space-saving design

STAHL'S
Hotronix



STX11 Auto Open 11" x 15"

**HANDS-FREE DESIGN
DURABLE & RELIABLE
QUICK CHANGE PLATENS**

Touch screen settings
Pressure adjustment for thicker items
Magnetic assist lockdown lid
Optional quick-change lower platens
Easy-to-read digital controls
Compact design great for small spaces

HIX
GRAPHICS



HT-400E 15" x 15"

**PORTABLE FOR EVENTS
ENTRY LEVEL
EVEN PRESSURE & HEATING**

Full-range temperature removes guesswork
Easy-to-use with short learning curve
Consistent heat and pressure
Press thicker items up to 1.75" thick
No digital controls for easy transport

Press Model	Auto Open Clam 16" x 20"	Maxx Digital Clam 16" x 20"	Craft Press
Item #	STX20	MAXX20	CP912JP
Brand	Hotronix®	Hotronix®	N/A
Platen Size	16" x 20"	16" x 20"	9" x 12"
Press Type	Clamshell	Clamshell	Clamshell
Temperature Range	205° - 420° F	205° - 430° F	205° - 420° F
Dimensions (W x D x H)	25" x 36" x 21"	25" x 36" x 21"	12.75" x 17.25" x 12.5"
Max Material Thickness	1-1/8"	3/4"	1/4"
Electrical	120 volt • 15 amps / 1800 watts - 240 volt • 7.5 amps / 1800 watts	120V / 15A / 1800W and 240V / 7.5A / 1800W	120V AC/6.5A
Weight	100 lb	87 lb	40 lb
Additional Information	Cast-in tubular heating, Powder coated finish, UL/ULC/CE	Cast-in tubular heating, Powder coated finish	UL/ULC/CE/RoHS and CE/NRTLCO Approved, Non-stick, Teflon®-coated heating platen
Platen Warranty	Lifetime	Lifetime	1 Year
Press Warranty	5 yr on frame / 2 yr control board / 1 year on parts & labor	1 yr on parts & labor	1 Year
Programmable Presets	N/A	N/A	N/A
For Use With	Sublimation / Vinyl	Sublimation / Vinyl	Sublimation / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$1,800	\$1,250	\$350

Press Model	MAXX15	STX11	HT-400E
Item #	MAXX15	STX11	HT400E
Brand	Hotronix®	Hotronix®	Hix
Platen Size	15" x 15"	11" x 15"	15" x 15"
Press Type	Clamshell	Clamshell	Clamshell
Temperature Range	0° - 400° F	205° - 420°F	0° - 400° F
Dimensions (W x D x H)	25" x 36" x 21"	25" x 36" x 21"	21" x 33" x 23"
Max Material Thickness	3/4"	3/4"	1"
Electrical	120V / 15A / 1800W and 240V / 7.5A / 1800W	120V / 8.3A / 1000W and 240V / 4.5A / 1000W	120V / 12.5A / 1500W and 220V / 7.5A / 1560W
Weight	65 lb	59 lb	66 lb
Additional Information	Non-stick, Teflon®-coated heating platen, Smooth-shock opening for easier end-user operation	Made in the USA, Cast-in tubular heating, Powder coated finish, UL/ULC/CE	4" x 5" top pressure plate rather than a single screw - more even pressure on the outside edges of press.
Platen Warranty	Lifetime	Lifetime	1 Year
Press Warranty	1 yr on parts & labor	5 yr on frame / 2 yr control board / 1 year on parts & labor	1 yr on machine / 3 months on parts & labor
Programmable Presets	N/A	N/A	N/A
For Use With	Sublimation / Vinyl	Sublimation / Vinyl	Sublimation / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$1,000	\$1,000	\$897

SMALL FORMAT CLAMSHELL HEAT PRESSES



Evo Pro 15" x 15"
ENTRY LEVEL
AUTO RELEASE
DIGITAL CONTROLS

- Fully digital operations
- Can't overcook with auto release top
- Heavy-duty solid-steel framework
- Evenly distributed pressure
- Electronic release without the air compressor



DK16 14" x 16"
HEAVY DUTY
DURABLE & RELIABLE
SUPER PORTABLE

- Takes up less space than swing-away
- Automatic digital timer
- Wide opening for easy placement
- Digital display of time, temp & pressure
- Easy-to-use system



STX16 Auto Open 16" x 16"
HANDS-FREE DESIGN
DURABLE & RELIABLE
QUICK CHANGE PLATENS

- Touch screen settings
- Pressure adjustment for thicker items
- Magnetic assist lockdown lid
- Optional quick-change lower platens
- Easy-to-read digital controls
- Compact design great for small spaces



Evo Pro 16" x 20"
EVEN PRESSURE & HEATING
AUTO RELEASE
DIGITAL CONTROLS

- Fully digital operations
- Can't overcook with auto release top
- Heavy-duty solid-steel framework
- Evenly distributed pressure
- Electronic release without the air compressor



HT-600 16" x 20"
EVEN PRESSURE & HEATING
AUTO RELEASE
DIGITAL CONTROLS

- Free "splitter" stand for garments
- Can't overcook with auto release top
- Heavy-duty solid-steel framework
- Evenly distributed pressure
- Electronic release without the air compressor



Dual Air Fusion IQ 16" x 20"
TWO PLATENS IN ONE MACHINE
DURABLE & RELIABLE
LASER ALIGNMENT SYSTEM

- Fully digital temperature control
- Automatic digital timer
- Heavy-duty steel-welded framework
- 70 programmable presets
- Front or rear loading design
- Easy-to-use system

Press Model	Evo Pro	DK16	STX16
Item #	S450	SUBDK16	STX16
Brand	Hix	Geo Knight	Hotronix®
Platen Size	15" x 15"	14" x 16"	16" x 16"
Press Type	Clamshell	Clamshell Manual	Clamshell
Temperature Range	0° - 400° F	32° - 600° F	205° - 420° F
Dimensions (W x D x H)	21" x 33" x 23"	17" x 32" x 16"	36" x 25" x 21"
Max Material Thickness	1/2"	2"	3/4"
Electrical	120V / 14.5A / 1750W and 220V / 10A / 2000W	1500W / 12A / 110V	120V / 15A / 1800W and 240V / 7.5A / 1800W
Weight	72 lb	83 lb	77 lb
Additional Information	Free splitter stand allows you to "dress" shirts over the platen keeping the back away from the heat	Automatic Timer, Digital Pressure Bar Graph, Interchangeable Tables, SuperCoil-Microwinding Heater Technology, Self Lifting Gas Spring,	Made in the USA, Cast-in tubular heating, Powder coated finish, UL/ULC/CE
Platen Warranty	1 Year	Lifetime	Lifetime
Press Warranty	1 yr on machine / 3 months on parts & labor	1yr on parts & labor	5 yr on frame / 2 yr control board / 1 year on parts & labor
Programmable Presets	Yes	No	N/A
For Use With	Sublimation / Vinyl	Sublimation / Vinyl	Sublimation / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$1,675	\$1,104	\$1,400

Press Model	Evo Pro	HT-600	Dual Air Fusion IQ
Item #	S650	HT600	XRF2
Brand	Hix	Hix	Hotronix®
Platen Size	16" x 20"	16" x 20"	16" x 20"
Press Type	Clamshell	Clamshell - Manual	Clamshell - Automatic
Temperature Range	0° - 450° F	0° - 450° F	32° - 430° F
Dimensions (W x D x H)	21" x 33" x 23"	21" x 33" x 23"	45.5" x 45.5" x 33.5"
Max Material Thickness	1/2"	1/2"	3/4"
Electrical	120V / 14.5A / 1750W and 220V / 10A / 2000W	120V / 14.5A / 1750W and 220V / 10A / 2000W	240V / 15A / 3500W
Weight	83 lb	82 lb	260 lb
Additional Information	Freedom of loading printer while the last print is curing, eliminates risk of overheating transfer.	Spring assist & full range pressure adjustment. Even pressure on thicker items, adds 20% more pressure.	Automatically adjusts time & pressure as it shuttles between workstations. Smooth, quiet, effortless operation.
Platen Warranty	1 Year	1 Year	Lifetime
Press Warranty	3 months on parts & labor	3 mo on parts & labor	5 yr on frame / 2 yr control board / 1 year on parts & labor
Programmable Presets	Yes	N/A	Yes
For Use With	Sublimation / Vinyl	Sublimation / Vinyl	Sublimation
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$1,995	\$1,585	\$7,300

MEDIUM FORMAT SWING-AWAY HEAT PRESSES

INSTA
INSTA GRAPHIC SYSTEMS



Insta 288 20" x 25"

**HEAVY DUTY
LARGE PLATEN
EASY TO OPERATE**

Consistent temperature and pressure
Evenly distributes pressure
Changeable lower platen
Easy-to-use digital controller

Geo Knight & Co, Inc



DK25S 20" x 25"

**EVEN PRESSURE & HEATING
HEAVY DUTY
LARGE PLATEN**

Heavy-duty solid-steel industrial grade
Fully digital time, temp and pressure
Interchangeable heat platens
Heavy-duty steel-welded framework
Easy-to-use system
Cycle counter to track job

Geo Knight & Co, Inc



DK25SP 20" x 25"

**EVEN PRESSURE & HEATING
AUTOMATIC PRESS
LARGE PLATEN**

Air-operated automatic press
Fully digital time, temp and pressure
State-of-the-art control system
Heavy-duty solid-steel framework
Evenly distributed pressure
Cycle counter to track job

HIX
GRAPHICS



SwingMan 25 20" x 25"

**OVERSIZED DESIGNS
WIDE OPENING
EVEN PRESSURE & HEATING**

Full-range temperature removes guesswork
Great for cut-and-sew apparel
Extremely durable
Press multiple items at once
Touch screen with digital time, temp, and pressure

HIX
GRAPHICS



SwingMan 25 Twin 20" x 25"

**HIGH PRODUCTION
TWO SEPARATE PLATENS
MAXIMUM PRODUCTION**

Fully digital temperature control
Multi-task easily with two platens
Great for large runs of garments
Heat element swivels between platens
Programmable presets for even more speed

Geo Knight & Co, Inc



Digital Press 26" x 32"

**HIGH PRODUCTION
XL PROJECTS
MAXIMUM PRODUCTION**

Air-operated automatic press
Affordable large format price
Heavy-duty solid-steel framework
Evenly distributed pressure
Press extra large items once
Air Compressor Required

Press Model	Insta 288	DK25S	DK25SP
Item #	99INSTA288	SUBDK25S	SUBDK25SP
Brand	Insta	Geo Knight	Geo Knight
Platen Size	20" x 25"	20" x 25"	20" x 25"
Press Type	Swing-Away Manual	Swing-Away Manual	Swing-Away Automatic
Temperature Range	N/A	32° - 600° F	32° - 600° F
Dimensions (W x D x H)	39" x 49" x 22"	36" x 36" x 48"	36" x 36" x 48"
Max Material Thickness	1.375"	1"	1"
Electrical	230V 3300W 14.4AMP	4500W / 21A / 220V	4500W/21A/220V
Weight	200 lb	485 lb	485 lb
Additional Information	Cast-In Heating Element, Changeable Lower Platens, Lightweight, Ergonomic handle, Integrated digital controller	Interchangeable Tables, SuperCoil-Microwinding Heater, 70 Programmable Presets	Interchangeable Tables, SuperCoil-Microwinding Heater Technology, 70 Programmable Presets
Platen Warranty	Lifetime	Lifetime	Lifetime
Press Warranty	1 Year	1 Year	1 Year
Programmable Presets	No	Yes	Yes
For Use With	Sublimation / Toner Heat Transfer	Sublimation / Toner Heat Transfer	Sublimation / Toner Heat Transfer
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press & stand, power cord, free remote install, free tech support for life of heat press	Press & stand, power cord, free remote install, free tech support for life of heat press
Retail	\$3,280.70	\$3,792	\$4,656

Press Model	SwingMan 25	SwingMan 25 TWIN	Digital Press
Item #	HSM25S	HSM25T	DK32AP
Brand	Hix	Hix	Geo Knight
Platen Size	20" x 25"	20" x 25" (Two Platens)	26" x 32"
Press Type	Swing-Away	Swing Away	Swing-Away Automatic
Temperature Range	32° - 450° F	0° - 450° F	32° - 600° F
Dimensions (W x D x H)	31" x 43" x 25"	53" x 42" x 33"	48" x 40" x 55"
Max Material Thickness	1.75"	1.75"	2"
Electrical	220V / 10A / 2000W	220V / 18A / 4300W	5600W / 25A / 220V (1PH)
Weight	135 lb	307 lb	790 lb
Additional Information	Digital Countdown Timer with Alarm, Adjustable Temperature, Solid steel frame, Silicone pad pressing surface	Touch screen controller. Self-leveling lower platens for consistent results with no transfer shifting.	Needs an Air Compressor. Not Included with Purchase.
Platen Warranty	1 Year	1 Year	Lifetime
Press Warranty	3 mo on parts	3 mo on parts & labor	1 yr on control / 1 yr on parts
Programmable Presets	Yes	Yes	Yes
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$3,195	\$5,550	\$8,496

SPECIALTY HEAT PRESSES

CAP/HAT HEAT PRESSES

JOHNSONPLASTICS PLUS



JPLUS TOP PICK!



JP450 Drinkware Press

BEST SELLER
VARIABLE TEMPERATURE
MULTIPLE ATTACHMENTS

Comes with four attachments
Two optional attachments available
Easy-to-use system
One of the most popular heat press machines available
Press mugs, tall and short latte mugs, water bottles, tumblers and shot glasses

Geo Knight & Co, Inc



DK3 Mug Press

MUG SPECIFIC PRESS
CONSTANT TEMPERATURE
EASY TO OPERATE

Handle to handle and top to bottom image
Opens extra wide for easy and fast loading and unloading
Features a liner for less than perfectly straight mugs
Easy-to-use system

STAHL'S Hotronix



STX6 6" x 6"

AUTO OPEN FOR EASE OF USE
PORTABLE FOR EVENTS
SPECIALTY SIZED PROJECTS

Perfect for large runs that need a smaller platen
Multi-task without worrying about over pressing your substrate
Portable for events
Easy-to-use system
Multiple platen sizes available

Geo Knight & Co, Inc



DK7 Digital Cap Press

PROGRAMMABLE
SAVES TIME
CHANGEABLE PLATENS

Artwork easily stays in place
Interchangeable heat platens
Heavy-duty steel framework
Easy-to-use system
70 programmable presets
Digital settings

STAHL'S Hotronix



STXC Auto Cap Press

CHANGEABLE PLATENS
ENTRY LEVEL
AUTO OPEN

Magnetic auto open
Magnetic assist lock down
Digital time, temp, & pressure controls
Wide opening for easy layout
Optional quick-change lower platens

STAHL'S Hotronix



360 IQ Cap Press

ALL-IN-ONE SYSTEM
PRINT 360
EASY-TO-USE

Print to all sides of a hat
No extra platens needed
Top and bottom platens are heated for best results
Extremely versatile
Portable for events

HIX GRAPHICS



B-250 Cap Press

PORTABLE
ENTRY LEVEL
EASY-TO-USE

Lightweight for events
Comes with three platens
Four programmable presets
Touch screen control
Adjustable bottom platen
Eliminates art shifting

Press Model	JP450 Mug Press	DK3 Mug Press	STX6 AUTO OPEN CLAM
Item #	JP450	99DK3	STX6
Brand	Johnson Plastics Plus	Geo Knight	Hotronix®
Platen Size	5" H and 1/2" from handle	5" H and 1/2" from handle	6" x 6"
Press Type	Mug / Drinkware	Mug / Drinkware	Clamshell
Temperature Range	Up to 420° F	Up to 420° F	205° - 420°F
Dimensions (W x D x H)	16" x 15" x 14"	15" x 13" x 15"	26" x 15" x 21"
Max Material Thickness	8oz, 12oz, 15oz, 17oz	11oz., 15oz. and 16oz	3/4"
Electrical	320W / 220V & 110V	450W / 4A / 120V	120V / 3A / 360W and 240V / 1.5A / 360W
Weight	24 lb	26 lb	30 lb
Additional Information	Cylindrical only Multiple attachments available	Cylindrical only	Perfect for large runs of corporate logos on shirts and on bags.
Platen Warranty	3 month	3 year	Lifetime
Press Warranty	3 month control box 1 year for frame	3 month control box 1 year for frame	5 yr on frame / 2 yr control board 1 year parts and labor
Programmable Presets	No	Yes	N/A
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$525.10	\$720	\$900

Press Model	DK7 Digital Cap	Hotronix Auto Cap	360 IQ Hat Press	B-250 Cap Press
Item #	99DK7	STXC	STXCP-10	B250
Brand	Geo Knight	Hotronix®	Hotronix®	Hix
Platen Size	4" x 7"	3.5" x 6"	6" x 5"	3" x 3.5"
Press Type	Cap/Hat Press	Cap/Hat Press	Cap/Hat Press	Cap/Hat Press
Temperature Range	32° - 600° F	205° - 420°F.	100° - 430° F	0° - 450° F
Dimensions (W x D x H)	19" x 12" x 18"	26" x 15" x 21"	18" x 12" x 20"	16" x 19" x 19"
Electrical	450W / 4A / 110V	500W / 4A / 120V 500W / 2A / 240V	120V or 240V	120V / 4A / 450W and 220V / 2A / 430W
Weight	51 lb	30 lbs	44 lb	23 lb
Additional Information	Fast heat up time with even heat through platen.	Wide range of platens to swap out, making it more versatile.	Press multiple locations of a hat. Most versatile.	Extremely lightweight to take on the go to events.
Platen Warranty	Lifetime	Lifetime	Lifetime	1 Year
Press Warranty	5 yr on frame / 3 yr on controller / 1 yr parts	5 yr on frame / 2 yr circuit board	5 yr on frame / 2 yr on circuit board / 1 yr on parts	3 mo on parts
Programmable Presets	Yes - 70	Yes	Yes	Yes
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer	Patches / Toner Heat Transfer / Vinyl	Patches / Sublimation / Toner Heat Transfer / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$764	\$950	\$1,495	\$1,095

JOHNSON PLASTICS PLUS



visit

JPPLUS.COM

1-800-869-7800

